
# sphinx-i18n THE TRUE STORY

robertlehmann.de Development Processes in Open Source Projects Everbody hates it with a passion.







implemented June 2007 as py-rest-doc for Docutils

live August 2007 on docs.python.org

released March 2008 as Sphinx


**BSD license** requires attribution


1.0 in July 2010

1.0.7 in January 2011 latest stable release

3290 commits [as of 2011/05/15]

## reStructuredText








## Georg "birkenfeld" Brandl

- 2004: Pocoo project
  - the makers of Werkzeug, Pygments, Jinja, ...
- 2008: PSF Community Award
- 2011: Frank Willison Award

that's changed LOCs

- 205k churns [as of 2011/06/27]
- 2500 commits






## ...and about 70 others!



## Who's using it





## groups.google.com/groups/sphinx-dev



#### sphinx-dev

Search this group

Home

Search Groups

#### **Discussions**

View: Topic list, Topic summary

Topics 1 - 10 of 1596 Older »

Discussions + new post

Description: This list is for discussion of usage and development of Sphinx, the Python documentation tool (see http://sphinx.pocoo.org).

About this group Join this group

View this group in the new Google Groups

Hire Django Developers

Senior Python Web Developers Team

Hourly rate 28 dollars per hour www.devsar.com

Prof Python IDE Try full-blown cross-platform IDE.

for productive Python programming JetBrains.com/PvCharm

Cross-Platform Blog

Learn Insights from Real Cross-Platform Developers About Industry www.realsoftwareblog.com/

See your message here...

Group info

Group categories:

More group info »

6 new of 6 - Jun 22

3 new of 3 - Jun 10

1 new of 1 - Jun 7

how to call classes and function: 1 new of 1 - Jun 7

Different HTML field-name genera 1 new of 1 - Jun 8

Odg.: Extract documentation eler 5 new of 5 - Jun 9

Nepali Translation of Sphinx 2 new of 2 - Jun 3

Integrating a DBus documentatio

You cannot post messages because only members can post, and you are not currently a member.

#### "UnicodeDecodeError" problem

when I try to compile django docs from text format into html, I encountered this problem: "Exception occurred: File "/usr/lib/python2.6/posixpath.py", line 70, in join path += '/' + b UnicodeDecodeError: 'ascii' codec can't decode byte 0xe6 in position 14: ordinal not in range(128) "... more »

By zhaozhi - Jun 26 - 1 new of 1 message

#### Index reference without a blank line?

Hi, Suppose I have input like this: 1. Four score and seven years ago, 2. Twas brillig, and the slithy toves 3. Able was I ere I saw Elba, and I want the index to include a reference to "brillig" where it occurs in item 2.1 can do this: 1. Four score and seven years ago, .. index.; brillig 2. Twas brillig, and the slithy toyes... more »

By Warren Weckesser - Jun 25 - 3 new of 3 messages

#### problem with html theme options?

Sorry to send a very basic question to the list, but I'm trying to use html theme options, and failing. This is what I'm trying in conf.py, html theme = 'default' html theme options = { 'sidebarbacolor': #ffffff' ... If I change html theme to 'blue' then Sphinx will not compile, so it is "noticing" the option. However, the output is just the default... more »

By Anna PS - Jun 24 - 1 new of 1 message

#### parsing intersphinx objects.inv

Hi. If I want to know, for instance, what modules are included in another projects zlib zipped objects inv. I can do from sphinx ext. intersphinx import read, inventory, v2 from posixpath import join uri = '[link] inv = 'objects.inv' f = open(inv, 'rb') line = f.readline() # burn a line... more »

appended to the end of the image. I don't know why this was done, but for my uses this is pointless and space wasting. I've identified in the sphinx code base where the image copying is... more »

By Trevor - Jun 22 - 1 new of 1 message Sphinx - Clev mailing list templates and autosummary

#### Error when creating module index when using autodoc for sub-module.

Hello. While I try to build up my project I want to use autodoc so that I don't have to document everything twice. And I don't know why but it causes some trouble when I have something like this, System: Fedora 15 64Bit Python: 3.2.0 (as server by the fedora-rpm) Sphinx: 1.1hg-20110621 (Revision: 3294:ad11ffd6e333)... more »

By megadethna...@yahoo.de - Jun 21 - 1 new of 1 message

#### Unusual error when updating conf.pv

Hello all, I've encountered a fairly bizarre Sphinx error (now solved) which I wanted to share with the list. I'm a new user of Sphinx, and this was my first try at using it to document something. I started by creating a fresh environment using sphinx-quickstart, and added the 'sphinx http domain' extension (at [link]).... more »

By Andrew Tipton - Jun 15 - 2 new of 2 messages

sphinx-contrib write regust


# gsoc.robertlehmann.de SUMMER OF CODE // 2010 Google\* code.google.com/soc



SUMMER OF CODE // 2010

code.google.com/soc

Google\*



Spanish

#### This is the python.org translation service, powered by Pootle.

You can translate the official documentation into your language of choice and view translated documents online.

The corresponding backend toolchain has been produced during Google's Summer of Code and is considered **beta** quality. If you encounter any bugs, annoyances or missing features *please* get in touch with us. We are doing our best to keep the services stable but cannot guarantee for anything. Warning: May contain traces of nuts!

#### Languages Overall Completion Language Last Activity Chinese 2011-04-28 03:02 (merwok) French German 2010-08-11 14:57 (Random) Japanese 2010-11-03 11:15 (naoki) Polish 2010-09-14 20:42 (konryd) Portuguese 2010-10-08 20:46 (andrikmb) Russian

2010-08-23 03:19 (rbonvall)

# Projects Project Overall Completion Last Activity Python 3000 2011-04-28 03:02 (merwok) Terminology

#### Latest News

- New user Defereulley registered
- New user unreavaknorceuo registered.
- New user guerfisuari registered.
- New user greatrmedeuro registered.
- New user herbalaffiliateuek registered.

## Sphinx Native Language Support:

Needs review
Toolchain for Creating, Tracking and Viewing
Top ContributInternationalized Versions of Sphinx Documents

Suggestions	Reviews	Submissions	
nobody	546	aconrad	391
tacianomm	21	tacianomm	371
fpaterno	12	tshirtman	262
andrikmb	9	Dilettant	231
thomasdesvenain	8	jyb	215

## cool story, bro.

internationalization
you are talking about

enter gettext!

```
0106 #include #include libintl.h>

2954 char *lcopy = malloc(len);
2955 if (!lcopy)
2956 dfaerror(_("out of memory"));
```

dfa.c - deterministic extended regexp routines for GNU

gettext(3) usually aliased as \_


```
dfa.c
2954 char *lcopy = malloc(len);
2955 if (!lcopy)
2956 dfaerror(_("out of memory"));
grep.pot
#: src/dfa.c:2956
msgid "out of memory"
msgstr
```

```
#: src/dfa.c:2956
msgid "out of memory"
msgstr "Speicher ist alle."


msginit
```

grep.po

#: src/dfa.c:2956
msgid "out of memory"
msgstr "Speicher ist alle."



grep.c



```
1346 #if defined(ENABLE NLS)
```

- 1347 bindtextdomain("grep", "/usr/share/locale")
- 1348 textdomain("grep");
- 1349 #endif

bindtextdomain(3) - set directory containing message catalogs
textdomain(3) - set domain for gettext() calls

## \*gasp\*

# Cool. What else?

internationalization is hard, let's go shopping

## interpolation

```
873 if (not_text)
874  printf (_("Binary file %s matches\n"),
875  filename);
```

grep.c – main driver file for grep

```
#: src/grep.c:874
#, c-format
msgid "Binary file: %s matches\n"
msgstr ""
"Übereinstimmungen in Binärdatei %s\n"
```

## plural forms

```
219 x = ngettext("There is %s file",

"There are %s files", n)
```

test\_gettext.py, CPython

## Plural-Forms: nplurals=2; plural=n!=1

```
msgid "There is %s file"
msgid_plural "There are %s files"
msgstr[0] "Hay %s fichero"
msgstr[1] "Hay %s ficheros"
```

## comments

```
751 /* --option */
752 printf(_("unrecognized option\n"));
lib/getopt.c
```


```
#. --option
#: lib/getopt.c:752
msgid "unrecognized option\n"
msgstr ""
```

## awesome! but...

# how does it work in Sphinx?

enter sphinx-i18n





## d.hatena.ne.jp/rudi/20110202/1296632643

Sokohakatonaku'll write.

Original Japanese text: Google 🗵 そこはかとなく書くよ。 <[Sphinx] sent **H** Contribute a better translation

Can not Find in Proguard ...>

2011-02-02

Actually tried to i18n the Sphinx 🔤

Sphinx, Python

Held on January 29, 2011 at PyConMini JP, kindly to the introduction of the i18n features of Sphinx

Mr. Ian. (Http://Www.slideshare.net/Ianmlewis/Sphinx-11-I18N)

So, really tried. First English -> I'll try the Japanese.

Furthermore, the environment

- sphinx-1.1pre
- GNU gettext -tools 0.18.1
- FreeBSD -8.1R

## Shirou Wakayama

Was done. Linux, such as might be hardled differently LCALE, probably the same actually tried to 118n the Sphinx sphinx

1. In the build. Creating a pot file

Profile

rudi

Android (Java) is the center o recent and Python. I also do occasional rest for my English

translation. Twitter: r rudi

Category

- o Technology
- 読了
- o Python
- Android
- o OpenGL

Latest Titles

o [Android] Japanese view

% Make gettext # can build / locale / index.pot

### Sokohakatonaku'll write.

Original Japanese text: Google 区 そこはかとなく書くよ。

Can not Find in Prognard

Drafila

### Msgid rest of the order

In addition,. When translated po file. You talked that there is a problem that is changing the order of rst files.

Apparently, the sphinx. We already have a strange turn when you export the pot file. I think it is because I have defaultdict self.catalogs in sphinx / builders / gettext.py. I feel like the things to worry about reversing this order.

Do I keep up on issue.

FreeBSD -8.1R

messages are scrambled ©

(sorry, my Japanese is horrible)

1. In the build. Creating a pot file

O IVIAC

o GAE

o sphinx

<u>Latest Titles</u>

o [Android] Japanese view

% Make gettext # can build / locale / index.pot

## sphinx-build gettext

#### **bpssl Documentation**

\_\_\_\_\_

#### What is bpssl?

15 000

bpssl is a Django application that helps you support

HTTPS on your website. The main functionality is performing redirection

for HTTPS only URUs and views. For instance, if a request for your

login view '/login' is recieved over HTTP, the provided middleware can

redirect the user to the equivalent HTTPS page

Specifying views and urls as secure is supported as are `flatpages` . `Fastcgi`

and HTTP proxy setups are also well supported. See the sourcecode/homepage at:

#b6395b85f34144a1a91a23a1bce5aa37 msgid "What is bpssl?" msgstr ""

#2a85f8ce621c4e88897b51f59d868a55

msgid "Specifying views and urls as secure is supported as are `flatpages`\_. `Fastcgi`\_ and HTTP proxy setups are also well supported. See the sourcecode/homepage at:"

ınsgstr "


#3ec7b8f0c3e0425baac65f2a0f97394c
msgid "bpssl is a Django application that helps
you support HTTPS on your website. The
main functionality is performing redirection
for HTTPS only URLs and views. For
instance, if a request for your login view

Ian Lewis @ PyConMini.JP slideshare.net/lanmlewis/Sphinx-11-I18N

#46cbf44fbb2040d983af60128148537d

msgid "bpssl Documentation"





## you are doing it wrong



### #653 I18nBuilder (-b gettext) saves non-unique messages to \*.pot files.

Reported by defnull, created 3 months ago.

The I18nBuilder class uses the ID of a doctree node to hash messages. This may lead to duplicate messages in the \*.pot file:

```
> msginit -l de -i api.pot
api.pot:92: duplicate message definition...
api.pot:57: ...this is the location of the first definition
api.pot:252: duplicate message definition...
api.pot:189: ...this is the location of the first definition
api.pot:364: duplicate message definition...
api.pot:133: ...this is the location of the first definition
api.pot:468: duplicate message definition...
api.pot:73: ...this is the location of the first definition
api.pot:576: duplicate message definition...
api.pot:157: ...this is the location of the first definition
msginit: found 5 fatal errors
```



#### #630 .pot file msgid order while using the gettext builder



Reported by r\_rudi, created 4 months ago.

I think it seems the gettext builder in sphinx creates a .pot (and .po) file with different order msgids from original .rst sentence order.

While translating to other language, some word have several meanings and should be translated to different word. Since it depends on the "context", I think .pot and .po file keeping order is important to translate a long text not just a message.

I think it occurred because of using a defaultdict(dict) in builders/gettext.py. I changed it to defaultdict(OrderedDict) and get the result I want. However, OrderdDict comes from Python 2.6/3.2, this may be implemented using a list.

If you think this is a good idea, would you be able to change the implementation?

Thank you.

Status: new Milestone: none Responsible: nobody Component: none

Type: proposal
Version: none





### #653 I18nBuilder (-b

Reported by defnull, created 3 mon

The I18nBuilder class uses the ID of a doctre

> msginit -l de -i api.pot
api.pot:92: duplicate message definiti
api.pot:57: ...this is the location of
api.pot:252: duplicate message definit
api.pot:189: ...this is the location of
api.pot:364: duplicate message definit
api.pot:133: ...this is the location of
api.pot:468: duplicate message definit
api.pot:73: ...this is the location of
api.pot:576: duplicate message definit
api.pot:157: ...this is the location of
msginit: found 5 fatal errors



#### #630 .pot file msgid orde

Reported by r\_rudi, created 4 months ag

I think it seems the gettext builder in sphinx cres

While translating to other language, some word think .pot and .po file keeping order is important

I think it occurred because of using a defaultdict( OrderdDict comes from Python 2.6/3.2, this may

If you think this is a good idea, would you be abl

Thank you.

Status: new Responsible: Milestone: none Component:

## **Pull request**

@mtlpython

We've just fixed a problem in the gettext builder.

### **Pull request**

@shibu

I'd like to create patch for Internationalization feature for 1.1.

### **Pull request**

@r\_rudi

Hello, I write the gettext builder patch. Please check and merge if fair enough.

## **Pull request**

@kou

I hereby encourage you to pull some changes in my fork of sphinx.
You can find my changes on the i18n-generate-valid-pot branch.

## let's call it a day

# all work has already been done!

not quite: the dreaded merge



# release the kraken

# octomerge of sorts literally 8 different sources!

•		Kouhei Sutou	7b77dd3717af	[i18n] ensure adding reference line to internal messages.
•	3	Kouhei Sutou	f8e84c899668	[i18n] support refname resolution in translated text.
•	8	Kouhei Sutou	143f65df9a58	[i18n] support reference line.
Ţ		Kouhei Sutou	27f708da46ca	[i18n] support reference line.  [i18n] don't generate duplicated msgid merged by Georg skip literal block
Ť	4	SHIBUKAWA Yoshiki	d9030def45ce	skip literal_block
ł	À	SHIBUKAWA Yoshiki	7940faccc511	msgid must be unique.
Ţ	À	SHIBUKAWA Yoshiki	70bffc602bf6	dict -> OrderedDict
t		r_rudi	938853568c12	fix the definition list items doesn't appear in the pot fi
ł		r_rudi	1b932e385b1a	[i18n] support reference line.
ł		r_rudi	6a6743a76b0f	[i18n] add default locale_dir.
Ţ		r_rudi	9c03c9a232d6	[i18n] add Makefile to create .mo files.
•		r_rudi	256d461f4431	become pep8 clean.
ł		r_rudi	5861f48bc874	skip duplicated msgid.
Ţ		r_rudi	83b419609bc5	A method which writes .po files are moved from finish
•	1	Cyril R	6855d354a5eb	Patched intl.py to maintain directory structure

# cower, mere mortals




**Georg Brand** 

# thanks. questions?

I'm that stargaming guy.

#pocoo on Freenode



sphinx.pocoo.org